

<b>AH 3 - 3</b>	<b>210,000</b>	<b>H3MT -</b>	<b>270,000</b>	<b>CTDV -NV</b>	<b>540,000</b>
<b>PF-085AE</b>	<b>23,000</b>	<b>PF-085AE</b>	<b>23,000</b>	<b>8PFA</b>	<b>36,000</b>

**Timer đơn**

**220VAC**

Sec: 1,3,6,10,30,60  
Min: 3,6,10,30,60  
H R: 3,6,10,24  
50H x 40W x 57.5D



**Timer 4 chế độ**

**Multi-Voltage-Range Timer**

A:1S,10S,1M,10M  
B:3S,30S,3M,30M  
C:6S,60S,6M,60M  
D:1M,10M,1H,10H  
E:3M,30M,3H,30H



24~240 VAC/DC

**Timer đôi**

**Multi-Range Twin Timer**

A:1S,10S,1M,10M  
B:3S,30S,3M,30M  
C:6S,60S,6M,60M  
D:1M,10M,1H,10H  
E:3M,30M,3H,30H



24~240 VAC/DC

<b>AH 3 - Y 3</b>	<b>220,000</b>	<b>H3MT - Y</b>	<b>280,000</b>	<b>CTDV -YV</b>	<b>550,000</b>
<b>P3G-08</b>	<b>23,000</b>	<b>P3G-08</b>	<b>23,000</b>	<b>P3G-08</b>	<b>23,000</b>

**Timer đơn (mặt tủ)**

**220VAC**

Sec: 1,3,6,10,30,60  
Min: 3,6,10,30,60  
H R: 3,6,10,24  
88H x 58W x 57.5D



**Timer 4 chế độ (mặt tủ)**

**Multi-Voltage-Range Timer**

A:1S,10S,1M,10M  
B:3S,30S,3M,30M  
C:6S,60S,6M,60M  
D:1M,10M,1H,10H  
E:3M,30M,3H,30H



24~240 VAC/DC

**Timer đôi (mặt tủ)**

**Multi-Range Twin Timer**

A:1S,10S,1M,10M  
B:3S,30S,3M,30M  
C:6S,60S,6M,60M  
D:1M,10M,1H,10H  
E:3M,30M,3H,30H



24~240 VAC/DC

<b>T2D - NT</b>	<b>750,000</b>	<b>T3D - NT</b>	<b>820,000</b>	<b>T2C-YX</b>	<b>720,000</b>
<b>8PFA</b>	<b>36,000</b>	<b>8PFA</b>	<b>36,000</b>	<b>P3G-08</b>	<b>23,000</b>

**Timer điện tử 2 số (2 Digits LED)**

Multi-Range Digital Timer  
60H x 48W x 75D  
24~240 VAC/DC



**Timer điện tử 3 số (3 Digits LED)**

Multi-Range Digital Timer  
60H x 48W x 75D  
24~240 VAC/DC



**Counter (2 Digits LED)**

88H x 58W x 75D  
100~240VAC 5A



<b>T2D - YT</b>	<b>750,000</b>	<b>T3D - YT</b>	<b>820,000</b>	<b>T3C-YX</b>	<b>800,000</b>
<b>P3G-08</b>	<b>23,000</b>	<b>P3G-08</b>	<b>23,000</b>	<b>P3G-08</b>	<b>23,000</b>

**điện tử 2 số mặt tủ (2 Digits LED)**

Multi-Range Digital Timer  
88H x 58W x 75D  
24~240 VAC/DC



**điện tử 3 số mặt tủ (3 Digits LED)**

Multi-Range Digital Timer  
60H x 48W x 75D  
24~240 VAC/DC



**Counter (3 Digits LED)**

100~240VAC 5A



<b>AH2-N</b>	<b>260,000</b>	<b>AH2-Y</b>	<b>270,000</b>	<b>AFK-3</b>	<b>260,000</b>
<b>8PFA</b>	<b>36,000</b>	<b>P3G-08</b>	<b>23,000</b>	<b>PF-085AE</b>	<b>23,000</b>

**Timer đơn**

**110/ 220VAC**

Sec: 1,3,6,10,30,60  
Min: 3,6,10,30,60  
61H x 49W x 70D



**Timer đơn (mặt tủ)**

**110/ 220VAC**

Sec: 1,3,6,10,30,60  
Min: 3,6,10,30,60  
88H x 58W x 68D



**FLICKER TIMER**

220VAC  
Sec: 1,3,6,10,30,60  
50H x 40W x 57.5D



<b>APT1</b>	<b>670,000</b>	<b>H3CR- A8</b>	<b>550,000</b>	<b>AH5F - B</b>	<b>650,000</b>
<b>P2CF-08</b>	<b>42,000</b>	<b>P2CF-08</b>	<b>42,000</b>	<b>P2CF-08</b>	<b>42,000</b>

**Timer tuần**

1 Week Programmable  
100~240VAC  
48H x 48W x 84D



**Timer đa chế độ**

Muti-Function Timer  
24~240V AC/DC  
48H x 48W x 68D



**Timer Off Relay**

Off Delay Timer  
48H x 48W x 84D  
220VAC  
10 Sec; 60Sec



<b>PS-3S</b> 95,000 đế điện cực 3 cực	<b>SL-6</b> 55,000 Điện cực 1M Inox 6φ	<b>SUSQ-3</b> 44,000 Sứ tách điện cực 3 cực	<b>PS-05 N</b> 115,000 Cảm biến NPN	<b>PS-05 P</b> 115,000 Cảm biến PNP

▼ TEMPERATURE CONTROLLER

<b>TC-100</b> 900,000 48H x 48W	<b>TC-200</b> 1,050,000 96H x 48W	<b>TC-300</b> 1,050,000 72H x 72W	<b>TC-400</b> 1,050,000 96H x 96W

Đồng hồ nhiệt TC-100~400

- Có 4 loại nhiệt độ tự chọn :  
K1 : 0 ~ 400 °C  
K2 : 0 ~ 1200 °C  
PT100 : -50 ~ 600 °C
- Có ngõ ra :  
SSR+Relay+Cảnh báo  
Có 6 dạng cảnh báo

▼ TEMPERATURE CONTROLLER Đồng hồ nhiệt

<b>TC1AO-</b> 430,000 48H x 48W	<b>TC1DD-</b> 920,000 48H x 48W	<b>TC3AO-</b> 450,000 72H x 72W	<b>TC3DD-</b> 920,000 72H x 72W	<b>TC4AO-</b> 450,000 96H x 96W	<b>TC4DD-</b> 920,000 96H x 96W

▼ Solid State Relay S.S.R Relay bán dẫn 1P



<b>SSR - 25 - DA</b> 240,000	<b>SSR - 25 - DA - H</b> 260,000	<b>SSR - 25 - AA</b> 250,000	<b>SSR - 25 - VA</b> 240,000
<b>SSR - 40 - DA</b> 260,000	<b>SSR - 40 - DA - H</b> 280,000	<b>SSR - 40 - AA</b> 270,000	<b>SSR - 40 - VA</b> 260,000
<b>SSR - 80 - DA</b> 450,000	<b>SSR - 80 - DA - H</b> 480,000	<b>SSR - 80 - AA</b> 460,000	

Input : 4~32 VDC      Input : 80~250 VAC Trimmer 500kΩ/220v  
Output : 24~380 VAC      Output : 75~480 VAC      Output : 24~380 VAC      Output : 24~380 VAC

▼ LS-5 Limit Switches Công tắc hành trình

<b>LS - 5102</b> 380,000	<b>LS - 5105</b> 430,000	<b>LS - 5106</b> 380,000	<b>LS - 5107</b> 380,000	<b>LS - 5108</b> 380,000	<b>LS - 5109</b> 380,000

▼ LS-7 Micro Switches Công tắc hành trình

<b>LS - 7121</b> 85,000	<b>LS - 7141</b> 85,000	<b>LS - 7120</b> 85,000	<b>LS - 7140</b> 85,000	<b>LS - 7124</b> 90,000	<b>LS - 7144</b> 90,000
<b>LS - 7100</b> 90,000	<b>LS - 7110</b> 110,000	<b>LS - 7310</b> 110,000	<b>LS - 7311</b> 115,000	<b>LS - 7312</b> 115,000	<b>LS - 7166</b> 125,000



**▼LS-8 Limit Switches Công tắc hành trình**

<b>LS - 8104</b> 180,000	<b>LS - 8108</b> 180,000	<b>LS - 8107</b> 180,000	<b>LS - 8111</b> 176,000	<b>LS - 8112</b> 176,000	<b>LS - 8122</b> 176,000
<b>LS - 8167</b> 176,000	<b>LS - 8166</b> 176,000	<b>LS - 8169</b> 176,000	<b>LS - 8109</b> 190,000	<b>CE1 - A or B</b> 200,000	<b>CE1 - P</b> 15,000

**▼MS/MMS Micro Switches Công tắc hành trình**

<b>MS - 1701</b> 62,000	<b>MS - 1702</b> 62,000	<b>MS - 1703</b> 67,000	<b>MS - 1704</b> 67,000		
<b>MS - 1300</b> 62,000	<b>MS - 1305</b> 68,000	<b>MS - 1306</b> 65,000	<b>MS - 1307</b> 80,000	<b>MS - 1308</b> 90,000	<b>MS - 1309</b> 90,000
<b>MMS - 100</b> 16,000	<b>MMS - 101</b> 17,000	<b>MMS - 102</b> 17,000	<b>MMS - 103</b> 17,000	<b>MMS - 104</b> 17,000	<b>MMS - 105</b> 17,000

**▼TS2 Toggle Switches Công tắc gạt sắt**

<b>TS2 - 11B</b> 34,000	<b>TS2 - 12B</b> 37,000	<b>TS2 - 13B</b> 37,000	<b>TS2 - 21B</b> 44,000	<b>TS2 - 22B</b> 53,000	<b>TS2 - 23B</b> 48,000
ON-OFF	ON-ON	ON-OFF-ON	ON-OFF	ON-ON	ON-OFF-ON


**▼PB Power Pushbutton Button bấm dính**

<b>PBSN - 310</b> 63,000 3Φ 10A 1,5KW	<b>PBSN - 315</b> 77,000 3Φ 15A 2,2KW	<b>PBSN - 330</b> 99,000 3Φ 30A 3,7KW	<b>PBS - 2</b> 59,000 3A 250VAC	<b>PBS - 3</b> 72,000 3A 250VAC	<b>COW</b> 13,500 Mũ chụp kín nước
<b>PBS - 315</b> 63,000 3Φ 15A 2,2KW	<b>PBS - 330</b> 88,000 3Φ 30A 3,7KW	<b>PBSY - 315</b> 93,000 3Φ 15A 2,2KW	<b>PBSY - 330</b> 105,000 3Φ 30A 3,7KW	<b>PB - 111</b> 120,000 6,5A	

<b>H3Y – 2</b> <b>PYF-08AE</b>	<b>240,000</b> <b>33,000</b>	<b>H3Y – 2L</b> <b>PTF-08AE</b>	<b>240,000</b> <b>33,000</b>	<b>H3Y – 4</b> <b>PYF-14AE</b>	<b>260,000</b> <b>39,000</b>
-----------------------------------	---------------------------------	------------------------------------	---------------------------------	-----------------------------------	---------------------------------


Timer thu nhỏ 5A

Mini-Timer  
Sec: 1,3,6,10,30,60  
Min: 3,6,10,30,60  
28H x 21W x 52D  
220 VAC, 110 VAC, 24 VDC




Timer thu nhỏ 10A

Mini-Timer  
Sec: 1,3,6,10,30,60  
Min: 3,6,10,30,60  
28H x 21W x 52D  
220 VAC, 110 VAC, 24 VDC



Timer thu nhỏ 5A

Mini-Timer  
Sec: 1,3,6,10,30,60  
Min: 3,6,10,30,60  
28H x 21W x 52D  
220 VAC, 110 VAC, 24 VDC



<b>G4Q –212S</b> <b>8PFA</b>	<b>520,000</b> <b>36,000</b>	<b>TRD -N</b> <b>8PFA</b>	<b>310,000</b> <b>36,000</b>	<b>AMD -N</b> <b>8PFA</b>	<b>290,000</b> <b>36,000</b>
---------------------------------	---------------------------------	------------------------------	---------------------------------	------------------------------	---------------------------------

Timer tuần hoàn

EXCHANGE RELAY  
61H x 49W x 70D  
220VAC



khởi động Y-Δ

Timer Y-Δ  
61H x 49W x 70D  
220VAC  
30Sec / 60Sec



Timer báo sự cố tốc độ

MOTION DETECTOR  
61H x 49W x 70D  
220VAC  
10Sec/ 30Sec/ 60Sec



<b>APR – 3L</b> <b>PF-085AE</b>	<b>380,000</b> <b>23,000</b>	<b>AVM –N</b> <b>8PFA</b>	<b>500,000</b> <b>36,000</b>	<b>AVM –NB</b> <b>8PFA</b>	<b>950,000</b> <b>36,000</b>
------------------------------------	---------------------------------	------------------------------	---------------------------------	-------------------------------	---------------------------------

Bộ bảo vệ pha

REV.PREVENTING  
50H x 40W x 57.5D  
3φ 110~480VAC



Bộ bảo vệ điện áp

3φ MONITORING & PROTECTION RELAY  
61H x 49W x 70D  
3φ 380V AC



Bộ bảo vệ điện áp

3φ MONITORING & PROTECTION RELAY  
61H x 49W x 70D  
3φ 380V AC



<b>AFR – 1</b> <b>8PFA</b>	<b>280,000</b> <b>36,000</b>	<b>TWB –NC</b> <b>8PFA</b>	<b>450,000</b> <b>36,000</b>	<b>PU – NC</b> <b>PF-085AE</b>	<b>240,000</b> <b>23,000</b>
-------------------------------	---------------------------------	-------------------------------	---------------------------------	-----------------------------------	---------------------------------

Relay mực nước

FLOATLESS RELAY  
220VAC  
61H x 49W x 70D



FOR-REV RELAY

FOR-REV RELAY  
220VAC 60S / 6S  
60S / 12S  
60S / 15S



Bộ nguồn

CONTROLLER UNIT  
50H x 40W x 57.5D  
220V AC  
12 VDC 100mA



▼ POWER RELAY Có đèn

<b>AM2L</b> <b>56,000</b>	<b>AM4L</b> <b>65,000</b>	<b>AL2L</b> <b>65,000</b>	<b>AL4L</b> <b>110,000</b>	<b>AK2(T)L</b> <b>90,000</b>	<b>AK3(T)L</b> <b>100,000</b>
------------------------------	------------------------------	------------------------------	-------------------------------	---------------------------------	----------------------------------

8 chân dẹp nhỏ

14 chân dẹp nhỏ

8 chân dẹp lớn

14 chân dẹp lớn

8 chân tròn

11 chân tròn



<b>PYF 08A-E</b> <b>33,000</b>	<b>PYF 14A-E</b> <b>39,000</b>	<b>PTF 08A-E</b> <b>33,000</b>	<b>PTF 14A-E</b> <b>46,000</b>	<b>PF 083A-E</b> <b>22,000</b>	<b>PF 113A-E</b> <b>33,000</b>
-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------

Đế AM2L






Đế AM4L

Đế AL2L

Đế AL4L

Đế AK2L

Đế AK3L



<b>8PFA</b> <b>36,000</b>	<b>P2CF-08</b> <b>42,000</b>	<b>PF-085AE</b> <b>23,000</b>	<b>P3G-08</b> <b>23,000</b>
------------------------------	---------------------------------	----------------------------------	--------------------------------

Đế Relay

Đế Relay

Đế Relay

Đế Relay

